

Burn Bylaw Comparison for Essex County						
	Kingsville (Current)	Kingsville (Proposed)	Amhurstburg	Essex	Lakeshore	Leamington
<b>Recreational Fire</b>	Not Permitted	Permitted	Permitted	Permitted	Permitted	Permitted
Distance from structures	Not Permitted	4.5 m	15 m	3 m	3 m	Determined by FD
Distance from property line	Not Permitted	4.5 m	15 m	4.5 m	4.5 m	Determined by FD
Requires permit	Not Permitted	Yes	Yes	No	No	Yes
Size	Not Permitted	1 metre	1 metre	61 cm	61 cm	Determined by FD
<b>Open Burn</b>	Permitted	Permitted	Permitted	Permitted	Permitted	Permitted
Permit required	Yes	Yes	Yes	Yes	Yes	Yes
Distance to structures	Determined by FD	Determined by FD	90 metres	7 metres	7 metres	Determined by FD
<b>Agricultural Fires</b>	Permitted	Permitted	Permitted	Permitted	Permitted	Permitted
Permit required	No	Yes	Yes	Yes	Yes	Yes
<b>Enforcement</b>	OPP	OPP/Fire Service	Fire Service/Bylaw	OPP/Fire Service	OPP/Fire Service	OPP/Fire Service

<b>Tecumseh</b>
Permitted
Determined by FD
Determined by FD
No
61 cm
Permitted
Yes
Determined by FD
Permitted
Yes
Fire Service