



planning@erca.org

P.519.776.5209

F.519.776.8688

360 Fairview Avenue West
Suite 311, Essex, ON N8M 1Y6

August 23, 2019

Mr. Robert Brown, Manager of Planning Services
Planning & Development Services Department
The Corporation of the Town of Kingsville
2021 Division Road North
Kingsville Ontario, N9Y 2Y9

Dear Mr. Brown:

RE: Application for Site Plan Control SPA-18-19 101 MILL ST W
ARN 371109000002300; PIN: 751830371
Applicant: DICK ROBERT PETER

The following is provided as a result of our review of Application for Site Plan Control SPA-18-19. The purpose of the application is to convert the existing dwelling into a holistic wellness centre.

DELEGATED RESPONSIBILITY TO REPRESENT THE PROVINCIAL INTEREST IN NATURAL HAZARDS (PPS, 2014) AND REGULATORY RESPONSIBILITIES OF THE CONSERVATION AUTHORITIES ACT

The following comments reflect our role as representing the provincial interest in natural hazards encompassed by Section 3.1 of the Provincial Policy Statement of the *Planning Act* as well as our regulatory role as defined by Section 28 of the *Conservation Authorities Act*.

We have reviewed our floodline mapping for this area and it has been determined this site is **not** located within a regulated area that is under the jurisdiction of the ERCA (Section 28 of the *Conservation Authorities Act*). As a result, a permit is not required from ERCA for issues related to Section 28 of the *Conservation Authorities Act*, Development, Interference with Wetlands and Alteration to Shorelines and Watercourses Regulation under the *Conservations Authorities Act*, (Ontario Regulation No. 158/06).

WATERSHED BASED RESOURCE MANAGEMENT AGENCY

The following comments are provided in an advisory capacity as a public commenting body on matters related to watershed management.

SECTION 1.6.6.7 Stormwater Management (PPS, 2014)

We recommend that the municipality ensure that the release rate for this development is controlled to the capacity available in the existing storm sewers/drains. In addition, that stormwater quality and stormwater quantity are addressed up to and including the 1:100 year storm event and be in accordance with the guidance provided by the Stormwater Management Planning and Guidance Manual,

Mr. Brown
August 23, 2019

prepared by the Ministry of the Environment (MOE, March 2003) and any other Municipal requirements (e.g., Windsor-Essex Region Stormwater Management Standards Manual). The stormwater management analysis be completed to the satisfaction of the Municipality. We do not require further consultation on this file with respect to stormwater management.

PLANNING ADVISORY SERVICE TO MUNICIPALITIES - NATURAL HERITAGE POLICIES OF THE PPS, 2014

The following comments are provided from our perspective as a service provider to the Municipality on matters related to natural heritage and natural heritage systems. The comments in this section do not necessarily represent the provincial position and are advisory in nature for the consideration of the Municipality as the planning authority.

It is our recommendation to the Municipality that an Environmental Impact Assessment is not required because the location of the subject property is physically separated from the natural heritage feature by existing development or infrastructure. Therefore, we can advise the Municipality that this application is consistent with the natural heritage policies of the PPS 2014.

FINAL RECOMMENDATION

Our office has no objection to the application for site plan control.

If you have any questions or require any additional information, please contact the undersigned.

Sincerely,



Michael Nelson, BSc, MSc (Planning)
Watershed Planner
/mn