



September 14, 2020

Mr. Robert Brown, Manager of Planning Services
Planning & Development Services Department
The Corporation of the Town of Kingsville
2021 Division Road North
Kingsville Ontario, N9Y 2Y9

planning@erca.org
P.519.776.5209
F.519.776.8688
360 Fairview Avenue West
Suite 311, Essex, ON N8M 1Y6

Dear Mr. Brown:

RE: Application for Site Plan Control SPA-13-2020 1968 SETTERINGTON DR
ARN 371134000000551; PIN: 751470168
Applicant: 1797465 ONTARIO LIMITED

The following is provided as a result of our review of Application for Site Plan Control SPA-13-2020 for the addition of two new storage buildings over existing hardened surface.

DELEGATED RESPONSIBILITY TO REPRESENT THE PROVINCIAL INTEREST IN NATURAL HAZARDS AND REGULATORY RESPONSIBILITIES ASSOCIATED WITH THE CONSERVATION AUTHORITIES ACT

The following comments reflect our role as representing the provincial interest in natural hazards as outlined by Section 3.1 of the Provincial Policy Statement of the *Planning Act* as well as our regulatory role as defined by Section 28 of the *Conservation Authorities Act*.

We have reviewed our floodline mapping for this area and it has been determined this site is not located within a regulated area that is under the jurisdiction of the ERCA (Section 28 of the *Conservation Authorities Act*). As a result, a permit is not required from ERCA for issues related to Section 28 of the *Conservation Authorities Act*, Development, Interference with Wetlands and Alteration to Shorelines and Watercourses Regulation under the *Conservations Authorities Act*, (Ontario Regulation No. 158/06).

WATERSHED BASED RESOURCE MANAGEMENT AGENCY

The following comments are provided in an advisory capacity as a public commenting body on matters related to watershed management.

SECTION 1.6.6.7 Stormwater Management (PPS, 2020)

ERCA has concerns with the potential impact of the quality and quantity of runoff in the downstream watercourse due to the proposed development on this site.



Mr. Brown
September 14, 2020

ERCA recommends that stormwater quality and stormwater quantity will need to be addressed up to and including the 1:100 year storm event and be in accordance with the guidance provided by the Stormwater Management Planning and Guidance Manual, prepared by the Ministry of the Environment (MOE, March 2003) and the "Windsor-Essex Region Stormwater Management Standards Manual".

We further recommend that the stormwater management analysis be completed to the satisfaction of the Municipality. We do not require further consultation on this file with respect to stormwater management.

PLANNING ADVISORY SERVICE TO MUNICIPALITIES - NATURAL HERITAGE POLICIES OF THE PPS

The following comments are provided from our perspective as a service provider to the Municipality on matters related to natural heritage and natural heritage systems as outlined in Section 2.1 of the PPS. The comments in this section do not necessarily represent the provincial position and are advisory in nature for the consideration of the Municipality as the planning authority.

The subject property is not within or adjacent to any natural heritage feature that may meet the criteria for significance as defined by the Provincial Policy Statement (PPS). Based on our review, we have no objection to the application with respect to natural heritage policies.

FINAL RECOMMENDATION

If you have any questions or require any additional information, please contact the undersigned.

Sincerely,



Michael Nelson, BSc, MSc (Planning)
Watershed Planner
/mn