



planning@erca.org

P.519.776.5209

F.519.776.8688

360 Fairview Avenue West
Suite 311, Essex, ON N8M 1Y6

September 23, 2019

Mr. Robert Brown, Manager of Planning Services
Planning & Development Services Department
The Corporation of the Town of Kingsville
2021 Division Road North
Kingsville Ontario, N9Y 2Y9

Dear Mr. Brown:

RE: Zoning By-Law Amendment ZBA-18-19 183 MAIN ST E
ARN 371121000000700; PIN: 751780359
Applicant: Willy & Donna Jean Krahn

The following is provided as a result of our review of Zoning By-Law Amendment ZBA-18-19. The purpose of this application is to amend the zoning to permit a future combined residential development that will include a total of five townhouse units with attached garages, and a six storey, 28 unit condominium with the associated parking areas.

DELEGATED RESPONSIBILITY TO REPRESENT THE PROVINCIAL INTEREST IN NATURAL HAZARDS (PPS, 2014) AND REGULATORY RESPONSIBILITIES OF THE CONSERVATION AUTHORITIES ACT

The following comments reflect our role as representing the provincial interest in natural hazards encompassed by Section 3.1 of the Provincial Policy Statement of the *Planning Act* as well as our regulatory role as defined by Section 28 of the *Conservation Authorities Act*.

We have reviewed our floodline mapping for this area and it has been determined this site is **not** located within a regulated area that is under the jurisdiction of the ERCA (Section 28 of the *Conservation Authorities Act*). As a result, a permit is not required from ERCA for issues related to Section 28 of the *Conservation Authorities Act*, Development, Interference with Wetlands and Alteration to Shorelines and Watercourses Regulation under the *Conservations Authorities Act*, (Ontario Regulation No. 158/06).

WATERSHED BASED RESOURCE MANAGEMENT AGENCY

The following comments are provided in an advisory capacity as a public commenting body on matters related to watershed management.

SECTION 1.6.6.7 Stormwater Management (PPS, 2014)

We recommend that the municipality ensure that the release rate for this development is controlled to the capacity available in the existing storm sewers/drains. In addition, that stormwater quality



Mr. Brown
September 23, 2019

and stormwater quantity are addressed up to and including the 1:100 year storm event and be in accordance with the guidance provided by the Stormwater Management Planning and Guidance Manual, prepared by the Ministry of the Environment (MOE, March 2003) and the Windsor-Essex Region Stormwater Management Standards Manual.

We further recommend that the stormwater management analysis be completed to the satisfaction of the Municipality. We do not require further consultation on this file with respect to stormwater management.

PLANNING ADVISORY SERVICE TO MUNICIPALITIES - NATURAL HERITAGE POLICIES OF THE PPS, 2014

The following comments are provided from our perspective as a service provider to the Municipality on matters related to natural heritage and natural heritage systems. The comments in this section do not necessarily represent the provincial position and are advisory in nature for the consideration of the Municipality as the planning authority.

The subject property is not within or adjacent to any natural heritage feature that may meet the criteria for significance under the Provincial Policy Statement (PPS 2014). Based on our review, we have no objection to the application with respect to natural heritage policies.

FINAL RECOMMENDATION

We have no objections to this application for Zoning By-law Amendment.

If you have any questions or require any additional information, please contact the undersigned.

Sincerely,



Corinne Chiasson
Resource Planner
/cor

